


CLAIM AMENDMENTS

1. (Currently Amended) A compound of formula I




wherein

R^1 is (C₁-C₃)-alkyl, halogen, halogen-(C₁-C₆)-alkyl, cyano, (C₁-C₆)-alkoxy or halogen-(C₁-C₆)-alkoxy;

R^{21} , R^{22} , R^{23} and R^{24} are each independently selected from the group consisting of hydrogen and fluoro;

R^3 is hydrogen or (C₁-C₃)-alkyl;

A is selected from



R^4 is hydrogen or (C₁-C₃)-alkyl;

R^5 , R^6 and R^7 are each independently hydrogen or (C₁-C₆)-alkyl; and


n is 1, 2 or 3;

wherein when n is 2 or 3, each R^1 is the same or different;

or a pharmaceutically acceptable salt thereof.

2. (Original) A compound of according to claim 1, wherein n is 1.

3. (Original) A compound according to claim 1, wherein R^1 is halogen or halogen-(C_1 - C_6)-alkyl.
4. (Original) A compound according to claim 3, wherein R^1 is fluoro or trifluoromethyl.
5. (Original) The compound according to claim 1, wherein R^{21} , R^{22} , R^{23} and R^{24} are hydrogen.
6. (Original) A compound according to claim 1, wherein R^3 is hydrogen.
7. (Original) A compound according to claim 1, wherein R^3 is methyl.
8. (Original) A compound of formula I-a



wherein

R^1 is (C_1 - C_3)-alkyl, halogen, halogen-(C_1 - C_6)-alkyl, cyano, (C_1 - C_6)-alkoxy or halogen-(C_1 - C_6)-alkoxy;

R^{21} , R^{22} , R^{23} and R^{24} are each independently selected from the group consisting of hydrogen and fluoro;

R^3 is hydrogen or (C_1 - C_3)-alkyl;

R^4 and R^5 are each independently hydrogen or (C_1-C_3) -alkyl; and

n is 1, 2 or 3;


wherein when n is 2 or 3, each R^1 is the same or different; or a pharmaceutically acceptable salt thereof.

9. (Original) A compound according to claim 8, wherein R^3 is methyl.
10. (Original) A compound according to claim 9, wherein R^1 is fluoro or trifluoromethyl.
11. (Original) A compound according to claim 9, wherein R^1 is (C_1-C_3) -alkyl or (C_1-C_6) -alkoxy.
12. (Original) A compound selected from the group consisting of
N-methyl-3-[4-(4-methyl-benzyloxy)-phenyl]-acrylamide and
3-[4-(3-methoxy-benzyloxy)-phenyl]-N-methyl-acrylamide.
13. (Original) A compound selected from the group consisting of
3-[4-(3-fluoro-benzyloxy)-phenyl]-2,N-dimethyl-acrylamide,
3-[4-(3-fluoro-benzyloxy)-phenyl]-N-methyl-acrylamide,
N-methyl-3-[4-(4-trifluoromethyl-benzyloxy)-phenyl]-acrylamide,
3-[4-(3,4-difluoro-benzyloxy)-phenyl]-N-methyl-acrylamide, and
3-[4-(4-fluoro-benzyloxy)-phenyl]-N-methyl-acrylamide.

14. (Canceled)

¹⁴15. (Original) A compound selected from the group consisting of
3-[4-(3-fluoro-benzyloxy)-phenyl]-2,N-dimethyl-propionamide,
3-[4-(3,4-difluoro-benzyloxy)-phenyl]-propionamide, and
3-[4-(3-fluoro-benzyloxy)-phenyl]-N-methyl-butylamide.

¹⁵16. (Original) A compound of formula I-c



wherein

R^1 is (C₁-C₃)-alkyl, halogen, halogen-(C₁-C₆)-alkyl, cyano, (C₁-C₆)-alkoxy or halogen-(C₁-C₆)-alkoxy;

R^{21} , R^{22} , R^{23} and R^{24} are each independently selected from the group consisting of hydrogen and fluoro;

R^3 is hydrogen or (C₁-C₃)-alkyl; and


n is 1, 2 or 3;

wherein when n is 2 or 3, each R^1 is the same or different;

or a pharmaceutically acceptable salt thereof.

~~16~~
17. (Original) The compound 3-[4-(3-fluoro-benzyloxy)-phenyl]-propynoic acid methylamide.

~~17~~
18. (Currently Amended) A composition comprising a compound of formula I




wherein

R^1 is (C₁-C₃)-alkyl, halogen, halogen-(C₁-C₆)-alkyl, cyano, (C₁-C₆)-alkoxy or halogen-(C₁-C₆)-alkoxy;

R^{21} , R^{22} , R^{23} and R^{24} are each independently selected from the group consisting of hydrogen and fluoro;

R^3 is hydrogen or (C₁-C₃)-alkyl;

A is selected from



R^4 is hydrogen or (C₁-C₃)-alkyl;

R^5 , R^6 and R^7 are each independently hydrogen or (C₁-C₆)-alkyl; and


n is 1, 2 or 3; wherein when n is 2 or 3, each R^1 is the same or different;

or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

~~18~~
19. (Original) A composition according to claim ~~18~~¹⁷, wherein the compound of formula I is a compound of formula I-a

Serial No. 10/613,785

Filed: July 3, 2003



wherein

R^1 is (C₁-C₃)-alkyl, halogen, halogen-(C₁-C₆)-alkyl, cyano, (C₁-C₆)-alkoxy or halogen-(C₁-C₆)-alkoxy;

R^{21} , R^{22} , R^{23} and R^{24} are each independently selected from the group consisting of hydrogen and fluoro;

R^3 is hydrogen or (C₁-C₃)-alkyl;

R^4 and R^5 are each independently hydrogen or (C₁-C₃)-alkyl; and


n is 1, 2 or 3;

wherein when n is 2 or 3, each R^1 is the same or different;

or a pharmaceutically acceptable salt thereof.

20. (Canceled)

19
21. (Original) A composition according to claim 18, wherein the compound of formula I is a compound of formula I-c



wherein

R^1 is (C_1-C_3) -alkyl, halogen, halogen- (C_1-C_6) -alkyl, cyano, (C_1-C_6) -alkoxy or halogen- (C_1-C_6) -alkoxy;

R^{21} , R^{22} , R^{23} and R^{24} are each independently selected from the group consisting of hydrogen and fluoro;

R^3 is hydrogen or (C_1-C_3) -alkyl; and


n is 1, 2 or 3;

wherein when n is 2 or 3, each R^1 is the same or different;


or a pharmaceutically acceptable salt thereof.

20 ~~22~~. (Original) A process for the manufacture of a compound of formula I according to claim 1, which process comprises

a) reacting a compound of formula II




wherein R^1 and n are as defined in claim 1 and Y is a leaving group, with a compound of formula III




wherein R^3 , R^{21} , R^{22} , R^{23} , R^{24} and A are as defined in claim 1.

2) ~~23.~~ (Original) A process for the manufacture of a compound of formula I according to claim 1, which process comprises reacting a compound of formula IV



wherein R^1 , R^{21} , R^{22} , R^{23} , R^{24} and n are as defined in claim 1 and R^8 is hydrogen or (C_1-C_6) -alkyl,

with an amine of formula V



wherein R^3 is as defined in claim 1.

24. (Canceled)

25. (Canceled)